

FILE COPY

UNCLASSIFIED

SECTION 1

DOCUMENTATION PAGE

1a. AD-A222 755		1b. RESTRICTIVE MARKINGS	
2a. 5		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release. Distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE ND B		4. PERFORMING ORGANIZATION REPORT NUMBER(S) 32	
5. MONITORING ORGANIZATION REPORT NUMBER(S)		6a. NAME OF PERFORMING ORGANIZATION Massachusetts Institute of Technology	
6b. OFFICE SYMBOL (if applicable)		7a. NAME OF MONITORING ORGANIZATION ONR	
6c. ADDRESS (City, State, and ZIP Code) Department of Chemistry 77 Massachusetts Avenue Cambridge, MA 02139		7b. ADDRESS (City, State, and ZIP Code) Office of the Navy Arlington, VA 22217	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION ONR		8b. OFFICE SYMBOL (if applicable)	
8c. ADDRESS (City, State, and ZIP Code) Office of the Navy Arlington, VA 22217		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
10. SOURCE OF FUNDING NUMBERS		11. TITLE (Include Security Classification) POLYMERIC ALUMINASILAZANE PRECURSORS FOR ALUMINOSILICON NITRIDE	
PROGRAM ELEMENT NO. N-00014-82		PROJECT NO. K-0322	
TASK NO. P00-007		WORK UNIT ACCESSION NO.	
12. PERSONAL AUTHOR(S) Dietmar Seyferth, Gregor Brodt			
13a. TYPE OF REPORT preprint		13b. TIME COVERED FROM TO	
14. DATE OF REPORT (Year, Month, Day) 1990-5-4		15. PAGE COUNT	
16. SUPPLEMENTARY NOTATION communication in Journal of the American Ceramics Society, Communications Section → Magneto-optical recording materials (JG)			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	silicon nitride, preceramic polymers, polysilazane
			aluminum nitride, organosilicon compounds,
			silicon carbonitride, organoaluminum compounds,
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The reaction of trimethylaluminum with the $(CH_3SiHNH)_n$ cyclic oligomers obtained by ammonolysis of methylchlorosilane results in evolution of methane and formation of soluble, cross-linked aluminasilazanes. Pyrolysis of the products in a stream of argon gives a good yield of black aluminosilicon carbonitride, while pyrolysis in a stream of ammonia results in formation of white aluminosilicon nitride.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. S. Fishman		22b. TELEPHONE (Include Area Code) 202/696-4401	
		22c. OFFICE SYMBOL	

OFFICE OF NAVAL RESEARCH
CONTRACT N00014-82-K-0322
Task No. NR P00 007

TECHNICAL REPORT NO. 32

POLYMERIC ALUMINASILAZANE PRECURSORS FOR
ALUMINOSILICON NITRIDE

by

Dietmar Seyferth and Gregor Brodt

To be published in

Journal of the American Ceramics Society
(Communications Section)

Department of Chemistry
Massachusetts Institute of Technology
Cambridge, MA 02139

May 16, 1990

Reproduction in whole or in part is permitted for any purpose of the
United States Government

This document has been approved for public release and sale; its distribution
is unlimited

90 06 04 032

POLYMERIC ALUMINASILAZANE PRECURSORS FOR ALUMINOSILICON NITRIDE

Dietmar Seyferth* and Gregor Brodt

Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

ABSTRACT




The reaction of trimethylaluminum with the $(\text{CH}_3\text{SiH}_2\text{NH})_n$ cyclic oligomers obtained by ammonolysis of methyldichlorosilane results in evolution of methane and formation of soluble, cross-linked aluminasilazanes. Pyrolysis of the products in a stream of argon gives a good yield of black aluminosilicon carbonitride, while pyrolysis in a stream of ammonia results in formation of white aluminosilicon nitride.



Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

Silicon nitride and aluminum nitride are useful ceramic materials. Densification of silicon nitride is promoted by addition of aluminum nitride.¹ Films of AlN/Si₃N₄ have been produced by RF sputtering.^{2,3} They were found superior (compared to AlN, BN, Si₃N₄ and TiN) as protective layers on magneto-optical recording materials² because they were transparent and they protected the TbFe thin films against corrosion. Since one may expect other useful applications of AlN/Si₃N₄ composites, there has been some interest in the preparation of processable (i.e., soluble or fusible) inorganic and organometallic polymers whose pyrolysis under the appropriate conditions will give AlN/Si₃N₄ composites. Thus, Japanese workers⁴ treated a polysilazane obtained by ammonolysis of H₂SiCl₂ with aluminum isopropoxide, Al[OCH(CH₃)₂]₃, in benzene at 80°C to give what they called a "polyaluminosilazane". A film of this material was pyrolyzed to 1000°C under nitrogen to give a black ceramic film. In other studies, copyrolysis of a polycarbosilane and an organoaluminum amide in the presence of ammonia gave a composite of AlN and Si₃N₄.⁵

We have adapted the simple chemistry that takes place when hexaalkyldisilazanes react with trimethylaluminum (eq. 1-3) to the preparation of useful preceramic polymers by the reaction of (CH₃)₃Al with



the ammonolysis product of methyldichlorosilane. This silazane, $(\text{CH}_3\text{SiH}_2\text{NH})_n$, is, for the most part, a mixture of cyclic oligomers ($n = 3, 4, 5, \dots$; average n is 4-5). Since this material is too volatile to serve as a useful ceramic precursor, it must be converted to material of higher molecular weight. In our laboratories we have used the base-catalyzed dehydrocyclodimerization reaction to effect such polymerization,⁹ and, more recently, the reaction of this mixture of oligomeric cyclosilazanes with $\text{H}_3\text{B} \cdot \text{S}(\text{CH}_3)_2$.¹⁰ The latter process involves the interaction of the cyclosilazane with a Lewis acid, and thus we were led to investigate the reaction of cyclo- $(\text{CH}_3\text{SiH}_2\text{NH})_n$ with trimethylaluminum and aluminum hydride, which also are Lewis acids.

In a typical reaction, a 200 ml two-necked Schlenk flask, which was equipped with a rubber septum, a magnetic stir-bar and a gas inlet/outlet tube connected to a Schlenk line, was flushed well with dry argon and charged by syringe with 1.56 g (26.4 mmol) of $(\text{CH}_3\text{SiH}_2\text{NH})_n$. While this liquid was stirred, 4.3 ml of a 2M solution of trimethylaluminum* (8.6 mmol, hence a Si/Al ratio of 3.1) in toluene was added dropwise by syringe. Ten to fifteen seconds after the first few drops had been added, gas evolution (CH_4) commenced. The reaction mixture was stirred at room temperature for 18 hr. The solvent then was removed at reduced pressure, leaving 2.1 g (94%, based reaction of each $(\text{CH}_3)_3\text{Al}$ with an N-H function with loss of CH_4) of a white solid. (The same result was obtained in a reaction using 46.8 mmol of $(\text{CH}_3\text{SiH}_2\text{NH})_n$ and 1.5 ml (15.6 mmol) of neat trimethylaluminum). The product was poorly soluble in aliphatic hydrocarbons and benzene (which precluded a cryoscopic molecular weight determination), but was fairly soluble in toluene. It was sensitive to atmospheric moisture and oxygen. Its analysis showed that aluminum had been incorporated into the silazane: C, 27.01; H, 7.56; N, 17.76; Si, 31.57; Al, 11.67%. The proton NMR spectrum (300 MHz, C_6D_6) showed the presence of Si-H, Si- CH_3 and Al- CH_3 protons in the regions 4.5 to 5.5, 0.0 to 0.8 and -0.6 to 0 ppm, respectively. By TGA (under argon, to 950°C), the ceramic yield obtained on pyrolysis of this product was 77%. A black solid residue remained. Pyrolysis of a bulk sample in a stream

* CAUTION: Trimethylaluminum is pyrophoric in air and should always be handled and transferred in an inert (argon or nitrogen) atmosphere with rigorous exclusion of atmospheric oxygen and moisture.

of ammonia to 1000°C resulted in a white residue in 76% yield based on the weight of the sample charged. Its elemental analysis showed it to be very nearly carbon-free: C, 0.45; N, 38.31; Si, 44.77; Al, 15.59%, and thus an aluminosilicon nitride had been formed.

Reactions using $\text{CH}_3\text{SiH}_2\text{NH}/(\text{CH}_3)_3\text{Al}$ ratios of 6, 3, 2 and 1 were carried out both with 2M $(\text{CH}_3)_3\text{Al}$ in toluene and neat $(\text{CH}_3)_3\text{Al}$. Ceramic yields obtained in pyrolyses of the aluminasilazanes thus prepared, either in a stream of argon or ammonia, decreased somewhat with decreasing Si/Al reactant ratio, but even when this ratio was 1, the ceramic yields in argon and in ammonia were 60% and 63%, respectively. The nominal compositions of the amorphous solids obtained in pyrolyses in ammonia to 1000°C, followed by heating to 1500°C in argon, varied between 1 AlN + 1.48 Si_3N_4 (Si/Al reactant ratio 6) to 1 AlN + 0.52 Si_3N_4 (Si/Al reactant ratio 1).

Similar experiments were carried out using other silazanes, but the results were not as promising as those obtained with $(\text{CH}_3\text{SiH}_2\text{NH})_n$. Thus both the 6:1 and 1:1 $(\text{CH}_3)_2\text{SiNH}/(\text{CH}_3)_3\text{Al}$ ratio reactions, carried out using $[(\text{CH}_3)_2\text{SiNH}]_n$ (from ammonolysis of $(\text{CH}_3)_2\text{SiCl}_2$) for 16 hr at room temperature, gave a very viscous liquid product. The ceramic yields of their pyrolysis (TGA, to 950°C under argon) were only 49% and 33%, respectively.

Aluminum hydride in the form of its diethyl etherate, $\text{H}_3\text{Al} \cdot \text{O}(\text{C}_2\text{H}_5)_2$, may be used in place of trimethylaluminum. However, in such reactions some or all of the product is insoluble in diethyl ether. For example, in a reaction in which a 3:1 Si/Al reactant ratio was used (6.5 g of $(\text{CH}_3\text{SiH}_2\text{NH})_n$ and 70 ml of 0.5M AlH_3 in diethyl ether for 24 hr at room temperature), an insoluble white solid was obtained in 47% yield. Evaporation of the solution to remove the solvent left a white solid in 41% yield whose proton NMR spectrum showed Si-H, Al-H and Si-CH₃ functionality to be present (δ 5.5 - 4.5, 3.3 - 3.1 and 0.8 - 0 ppm, respectively). Its pyrolysis in a stream of argon (TGA to 950°C) left a black solid in 85% yield, while bulk pyrolysis to 1000°C in a stream of ammonia gave a white solid residue in 86% yield (anal.: C, 0.6; N, 37.24; Si, 45.35; Al, 14.60%). The $(\text{CH}_3\text{SiH}_2\text{NH})_n + (\text{CH}_3)_3\text{Al}$ reaction in which the Si/Al ratio was 1, on the other hand, did not give any soluble product.

The chemistry in this aluminasilazane preparation appears to involve reaction of the trimethylaluminum at the N-H links of the $(\text{CH}_3\text{SiH}_2\text{NH})_n$

oligomers to give initially $\text{>N-Al(CH}_3)_2$ or $\text{>N-Al}_2(\text{CH}_3)_5$ moieties and CH_4 (as shown in eq. 1 for hexamethyldisilazane). Further reaction of these methylaluminum amide functions with N-H groups of the silazane leads to cross-linking between silazane rings via N-Al(CH₃)-N linkages such that a network polymer is formed. However, it is likely that the chemistry is more complicated than that since Si-N and Al-N bonds are quite labile. Also, methylation of Si-H linkages by reactive metal alkyls is a known reaction,¹¹ so methylation of some Si-H functions by the trimethylaluminum is a possibility.

The reaction of these aluminasilazanes with ammonia is of some interest. In contrast to methylsilicon compounds, which react with ammonia only at high (>400°C) temperatures, methylaluminum compounds react with ammonia at or slightly above ambient temperature.¹² In the present case, reaction of an aluminasilazane (from a 1:1 $\text{CH}_3\text{SiH}_2\text{NH}/(\text{CH}_3)_3\text{Al}$ preparation) with gaseous ammonia was found to take place already at room temperature. Immediate gas evolution occurred and the solid aluminasilazane became liquid. After 2 hr of reaction with ammonia, it resolidified. Removal of all volatiles after a further 6 hr of exposure to ammonia left a glassy white solid which was soluble in toluene. Its proton NMR spectrum still showed Si-H, Si-CH₃ and diminished Al-CH₃ signals and its pyrolysis to 1000°C in a stream of ammonia gave a white solid, presumably an aluminosilicon nitride, in 63% yield.

The preparative chemistry that we report here is easily effected in high yield using relatively cheap starting materials. The polymeric products, for the most part, are soluble and their pyrolyses in argon and in ammonia give high yields of ceramic product. This chemistry provides an excellent route to aluminosilicon nitrides whose composition can be varied by varying the starting $(\text{CH}_3\text{SiH}_2\text{NH})_n/(\text{CH}_3)_3\text{Al}$ stoichiometry. We communicate these preliminary results because of the potential utility of the aluminosilicon nitrides. However, more work is required to delineate the mechanism of formation and the structure of the aluminasilazanes and the mechanism of their pyrolysis in argon and ammonia. In addition, the ceramics issues, which hardly have been touched, must be addressed. Our investigations of these systems are continuing.

We are grateful to the National Science Foundation for support of his work and to the Alexander von Humboldt Foundation for the award of a Feodor Lynen Fellowship to G. Brodt.

REFERENCES

1. Y. Kanno, "Densification of Silicon Nitride by the Addition of Various Metal Nitrides", Mem. Fac. Lib. Arts Educ., Part 2 (Yamanashi Univ.), 39, 42-48 (1988); Chem. Abstr., 111, 218285d (1989).
2. M. Asano, M. Kobayashi, Y. Maeno, K. Oishi and K. Kawamura, "Magneto-Optical Recording Media with New Protective Films", IEEE Trans. Magn., 23, 2620 (1987).
3. T. Tateno, S. Shibata and R. Ogawa, "Composite Sputtering Target", Jpn. Kokai Tokkyo Koho JP 63,219,577 (88,219,577) (1988); Chem. Abstr., 110, 126169 (1989).
4. T. Funayama and M. Arai, "Manufacture of New Type Polyalumino-silazane as Ceramic Precursors", Jpn. Kokai Tokkyo Koho JP 63,191,832 (88,191,832), 9 Aug. 1988; Chem. Abstr., 110, 62502p (1989).
5. L.V. Interrante, C.L. Czekaj, M.L.T. Hackney, G.A. Sigel, P.J. Shields and G.A. Slack, "An Investigation into the Preparation, Properties and Processing of Silicon Carbide- and Silicon Nitride/Aluminum Nitride Solid Solutions from Organometallic Precursors", Mater. Res. Soc. Symp. Proc. 121 (Better Ceram. Chem. 3), 1988, 465-470.
6. N. Wiberg and W. Baumeister, "Zur Struktur und Stabilität der Verbindung $(\text{Me}_3\text{Si})_2\text{NAl}_2\text{Me}_5$ ", J. Organomet. Chem., 36, 277-282 (1972).
7. D. Ya. Zhinkin, G.K. Korneeva, N.S. Korneev and M.V. Sobolevski, "Reactions of 1,1,1-Trialkyl and 1,1,1-Triarylsilylamines and of 1,1,1,3,3,3-Hexaalkyldisilazanes with Trialkylaluminums", Zh. Obshch. Khim., 36, 350-352 (1966).

8. N. Wiberg, W. Baumeister and P. Zahn, "Zur Reaktion von Bis(silyl)aminen mit Trimethylaluminium", *J. Organomet. Chem.*, **36**, 267-276 (1972).
9. D. Seyferth and G.H. Wiseman, "High Yield Synthesis of $\text{Si}_3\text{N}_4/\text{SiC}$ Ceramic Materials by Pyrolysis of a Novel Polyorganosilazane", *J. Am. Ceram. Soc.*, **67**(7) C-132 (1984).
10. D. Seyferth and H. Plenio, "Borasilazane Polymeric Precursors for Borosilicon Nitride", *J. Am. Ceram. Soc.*, submitted.
11. C. Eaborn, "Organosilicon Compounds", Butterworths, London, 1960, Chapter 2, pp. 10-26.
12. T. Mole and E.A. Jeffery, "Organoaluminium Compounds", Elsevier, Amsterdam, 1972, Chapter 9, pp. 229-249.